




**MEATON**


**MEATON**



**MEATON**

| **Drawer System**

Drawer system leads to silent movement, satisfying comfort, and diverse applications. The outstanding performance of MEATON drawer system makes your living space a place where indicates your understanding of lifestyle, of character, of satisfaction. Affordable and the state of the art products make everyone feel a comfortable and sound life around them.



## Slim Drawer System

Slim box, height 86mm

Soft-closing SB1900 - A01

B.10



Inner box, height 86mm

Soft-closing SB1900 - A02/ SB1900 - A02H

B.12



Inner box with extended front glass, height 86mm

Soft-closing SB1900 - A03

B.14



Slim box, height 118mm

Soft-closing SB1900 - B01

B.16



Inner box, height 118mm

Soft-closing SB1900 - B02/ SB1900 - B02H

B.18



Inner box with extended front glass, height 118mm

Soft-closing SB1900 - B03

B.20



Slim box, height 167mm

Soft-closing SB1900 - C01

B.22



Slim box with extended side square railings, height 167mm

Soft-closing SB1900 - C02

B.24



Inner box with extended front low glass, height 167mm

Soft-closing SB1900 - C03

B.26



Inner box with with extended front tall glass, height 167mm

Soft-closing SB1900 - C04

B.28



Inner box with side square railings and front panel, height 167mm

Soft-closing SB1900 - C05/ SB1900 - C05H

B.30



Inner box with side square railings and extended front low glass, height 167mm

Soft-closing SB1900 - C06

B.32





Inner box with side square railings and extended front tall glass, height 167mm

Soft-closing SB1900 - C07

B.34



Inner box with front panel and square railing, height 167mm

Soft-closing SB1900 - C08/ SB1900 - C08H

B.36



Slim box, height 199mm

Soft-closing SB1900 - D01

B.38



Slim box with extended side square railings, height 199mm

Soft-closing SB1900 - D02

B.40



Inner box with extended front low glass, height 199mm

Soft-closing SB1900 - D03

B.42



Inner box with extended front tall glass, height 199mm

Soft-closing SB1900 - D04

B.44



Inner box with front panel and square railing, height 199mm

Soft-closing SB1900 - D05/ SB1900 - D05H

B.46



Inner box with side square railings and front panel, height 199mm

Soft-closing SB1900 - D06/ SB1900 - D06H

B.48



Inner box with side square railings and extended front low glass, height 199mm

Soft-closing SB1900 - D07

B.50



Inner box with side square railings and extended front tall glass, height 199mm

Soft-closing SB1900 - D08

B.52



## Classical Drawer System

Classical box, height 84mm

Soft-closing • SB1801 - A01

—B.58



Inner classical box, height 84mm

Soft-closing • SB1801 - A02

—B.60



Classical box with side square railings, height 135mm

Soft-closing • SB1801 - B01

—B.62



Classical box with side round railings, height 135mm

Soft-closing • SB1801 - B02

—B.64



Inner classical box with side square railings and front panel, height 135mm

Soft-closing • SB1801 - B03/ SB1800 - B03H

—B.66



Classical box with side square railings, height 167mm

Soft-closing • SB1801 - C01

—B.68



Classical box with side round railings, height 167mm

Soft-closing • SB1801 - C02

—B.70



Classical box with extended side glass, height 167mm

Soft-closing • SB1801 - C03

—B.72



Inner classical box with extended side glass and front panel with square railing, height 167mm

Soft-closing • SB1801 - C05/ SB1800 - C05H

—B.74



Inner classical box with extended side glass and front panel, height 167mm

Soft-closing • SB1801 - C06/ SB1800 - C06H

—B.76



Inner classical box with side square railings and front panel, height 167mm

Soft-closing • SB1801 - C07/ SB1800 - C07H

—B.78



Inner classical box with side square railings and front panel, height 167mm

Soft-closing • SB1801 - C08/ SB1800 - C08H

—B.80





Classical box with side square railings, height 199mm

Soft-closing • **SB1801 - D01**

— **B.82**



Classical box with side round railings, height 199mm

Soft-closing • **SB1801 - D02**

— **B.84**



Classical box with side two square railings, height 199mm

Soft-closing • **SB1801 - D03**

— **B.86**



Classical box with side two round railings, height 199mm

Soft-closing • **SB1801 - D04**

— **B.88**



Classical box with extended side glass, height 199mm

Soft-closing • **SB1801 - D05**

— **B.90**



Inner classical box with extended side glass and front panel with square railing, height 199mm

Soft-closing • **SB1801 - D06/ SB1800 - D06H**

— **B.92**



Inner classical box with extended side glass and front panel, height 199mm

Soft-closing • **SB1801 - D07/ SB1800 - D07H**

— **B.94**



Inner classical box with side square railings and front panel with square railing, height 199mm

Soft-closing • **SB1801 - D08/ SB1800 - D08H**

— **B.96**



Inner classical box with side two square railings and front panel with square railing, height 199mm

Soft-closing • **SB1801 - D09/ SB1800 - D09H**

— **B.98**



Inner classical box with side square railings and front panel, height 199mm

Soft-closing • **SB1801 - D10/ SB1800 - D10H**

— **B.100**



Inner classical box with two side square railings and front panel, height 199mm

Soft-closing • **SB1801 - D11/ SB1800 - D11H**

— **B.102**



Slim box, height 86mm



## SOFT-CLOSING


- Basic, height 86mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1900-A01

Length	Cover	
	White	Grey Steel
270mm	554.111.010	554.121.010
300mm	554.111.011	554.121.011
350mm	554.111.012	554.121.012
400mm	554.111.013	554.121.013
450mm	554.111.014	554.121.014
500mm	554.111.015	554.121.015
550mm	554.111.016	554.121.018

## Product information

## Components view



A

SS1801-S

Drawer slide L/R



A ► Page - B.104

B

SS1900-B86

Side wall L/R



C

SS1900-L86

Back panel connector L/R



B, C ► Page - B.54

E

SS1900-TA1

Front connector



SS1900-TA2

Quick mount front connector




E ► Page - B.56




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



Inner box, height 86mm



## SOFT-CLOSING

- Inner drawer, height 86mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.


## SB1900-A02

## SB1900-A02H

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
270mm	554.111.020	554.121.020	270mm	554.111.120	554.121.120
300mm	554.111.021	554.121.021	300mm	554.111.121	554.121.121
350mm	554.111.022	554.121.022	350mm	554.111.122	554.121.122
400mm	554.111.023	554.121.023	400mm	554.111.123	554.121.123
450mm	554.111.024	554.121.024	450mm	554.111.124	554.121.124
500mm	554.111.025	554.121.025	500mm	554.111.125	554.121.125
550mm	554.111.026	554.121.026	550mm	554.111.126	554.121.126

## Product information

## Components view



A

SS1801-S

Drawer slide L/R



A ► Page - B.104

B

SS1900-B86

Side wall L/R



C

SS1900-L86

Back panel connector L/R



B, C ► Page - B.54

D

SS1900-F86

Inner drawer front connector L/R



SS1900-F86H

Inner drawer front connector (handle) L/R



D ► Page - B.55

F

SS1800-04

Inner drawer front panel



SS1800-04H

Inner drawer front panel (handle)



F ► Page - B.106

K

SS1800-37


Front panel bracket to bottom panel




K ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar





Handle




DIY cut: LW - 98mm

## Drawer slide installation dimensions




NL Nominal length

## Cutting dimensions for back panel



## Space required





## Slim Drawer System SB1900 - A03

Inner box with extended front glass, height 86mm



### SOFT-CLOSING


- Inner drawer, height 86mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-A03

Length	Cover	
	White	Grey Steel
270mm	554.111.030	554.121.030
300mm	554.111.031	554.121.031
350mm	554.111.032	554.121.032
400mm	554.111.033	554.121.033
450mm	554.111.034	554.121.034
500mm	554.111.035	554.121.035
550mm	554.111.036	554.121.036

## Product information

### Components view



### G SS1900-20-A

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.905.161	554.905.162
800mm	554.905.181	554.905.182
900mm	554.905.191	554.905.192
1000mm	554.905.101	554.905.102
1200mm	554.905.121	554.905.122

### A

### SS1801-S

Drawer slide L/R



A ► Page - B.104

### B

### SS1900-B86

Side wall L/R



### C

### SS1900-L86

Back panel connector L/R



B, C ► Page - B.54

### D

### SS1900-F86G

Inner drawer front connector L/R



► Page - B.55

### F

### SS1900-04

Inner drawer front panel



### G1

### SS1900-20-AS/ SS1900-20-AT

Inner drawer extended front glass



F, G1 ► Page - B.57

### K

### SS1800-37

Front panel bracket to bottom panel




K ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



Slim box, height 118mm



## SOFT-CLOSING


- Basic, height 118mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1900-B01

Length	Cover	
	White	Grey Steel
270mm	554.211.010	554.221.010
300mm	554.211.011	554.221.011
350mm	554.211.012	554.221.012
400mm	554.211.013	554.221.013
450mm	554.211.014	554.221.014
500mm	554.211.015	554.221.015
550mm	554.211.016	554.221.016

## Product information

## Components view



A

SS1801-S

Drawer slide L/R



A ► Page - B.104

B

SS1900-B118

Side wall L/R



C

SS1900-L118

Back panel connector L/R



B, C ► Page - B.54

E

SS1900-TB1

Front connector



SS1900-TB2


Quick mount front connector




E ► Page - B.56

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions for back panel



Space required





Inner box, height 118mm



## SOFT-CLOSING

- Inner drawer, height 118mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5\text{mm}$ , left & right  $\pm 1.5\text{mm}$ .
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-B02


Length	Cover	
	White	Grey Steel
270mm	554.211.020	554.221.020
300mm	554.211.021	554.221.021
350mm	554.211.022	554.221.022
400mm	554.211.023	554.221.023
450mm	554.211.024	554.221.024
500mm	554.211.025	554.221.025
550mm	554.211.026	554.221.026

### SB1900-B02H

Length	Cover	
	White	Grey Steel
270mm	554.211.120	554.221.120
300mm	554.211.121	554.221.121
350mm	554.211.122	554.221.122
400mm	554.211.123	554.221.123
450mm	554.211.124	554.221.124
500mm	554.211.125	554.221.125
550mm	554.211.126	554.221.126

## Product information

### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R		A ► Page - B.104
<b>B</b>	<b>SS1900-B118</b> Side wall L/R		
<b>C</b>	<b>SS1900-L118</b> Back panel connector L/R		B, C ► Page - B.54
<b>D</b>	<b>SS1900-F118</b> Inner drawer front connector L/R		
	<b>SS1900-F118H</b> Inner drawer front connector (handle) L/R		D ► Page - B.55
<b>F</b>	<b>SS1800-04</b> Inner drawer front panel		
	<b>SS1800-04H</b> Inner drawer front panel (handle)		F ► Page - B.106
<b>K</b>	<b>SS1800-37</b> Front panel bracket to bottom panel		K ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar




Handle




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



## Slim Drawer System SB1900 - B03

Inner box with extended front glass, height 118mm



### SOFT-CLOSING


- Inner drawer, height 118mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-B03

Length	Cover	
	White	Grey Steel
270mm	554.211.030	554.221.030
300mm	554.211.031	554.221.031
350mm	554.211.032	554.221.032
400mm	554.211.033	554.221.033
450mm	554.211.034	554.221.034
500mm	554.211.035	554.221.035
550mm	554.211.036	554.221.036

## Product information

### Components view



### G SS1900-20-B

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.905.261	554.905.262
800mm	554.905.281	554.905.282
900mm	554.905.291	554.905.292
1000mm	554.905.201	554.905.202
1200mm	554.905.221	554.905.222

A

SS1801-S

Drawer slide L/R



A ► Page - B.104

B

SS1900-B118

Side wall L/R



C

SS1900-L118

Back panel connector L/R



B, C ► Page - B.54

D

SS1900-F118G

Inner drawer front connector L/R



D ► Page - B.55

F

SS1900-04

Inner drawer front panel



G1

SS1900-20-BS/ SS1900-20-BT

Inner drawer extended front glass



F, G1 ► Page - B.57

K

SS1800-37


Front panel bracket to bottom panel




K ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm

## Drawer slide installation dimensions




NL Nominal length

## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





Slim box, height 167mm



## SOFT-CLOSING


- Basic, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1900-C01

Length	Cover	
	White	Grey Steel
270mm	554.311.010	554.321.010
300mm	554.311.011	554.321.011
350mm	554.311.012	554.321.012
400mm	554.311.013	554.321.013
450mm	554.311.014	554.321.014
500mm	554.311.015	554.321.015
550mm	554.311.016	554.321.016

## Product information

## Components view



A

SS1801-S

Drawer slide L/R



A ► Page - B.104

B

SS1900-B167

Side wall L/R



C

SS1900-L167

Back panel connector L/R



B, C ► Page - B.55

E

SS1900-TC1

Front connector



SS1900-TC2

Quick mount front connector




E ► Page - B.56




## Mounting


Cabinet space requirements




Front connector panel installation dimensions





Front panel drilling dimensions




Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions for back panel



Space required



Slim box with extended side square railings, height 167mm



## SOFT-CLOSING


- Basic + rectangular side railings, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5\text{mm}$ , left & right  $\pm 1.5\text{mm}$ .
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1900-C02

Length	Cover	
	White	Grey Steel
270mm	554.311.020	554.321.020
300mm	554.311.021	554.321.021
350mm	554.311.022	554.321.022
400mm	554.311.023	554.321.023
450mm	554.311.024	554.321.024
500mm	554.311.025	554.321.025
550mm	554.311.026	554.321.026

## Product information

## Components view



A

SS1801-S

Drawer slide L/R



A ► Page - B.104

B

SS1900-B86

Side wall L/R



B ► Page - B.54

C

SS1900-L167K

Back panel connector L/R



C ► Page - B.55

E

SS1900-TA1

Front connector



SS1900-TA2

Quick mount front connector



E ► Page - B.56

M

SS1801-12


Side rectangular railings




M ► Page - B.107

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions for back panel



Space required





## Slim Drawer System SB1900 - C03

Inner box with extended front low glass, height 167mm



### SOFT-CLOSING


- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-C03

Length	Cover	
	White	Grey Steel
270mm	554.311.030	554.321.030
300mm	554.311.031	554.321.031
350mm	554.311.032	554.321.032
400mm	554.311.033	554.321.033
450mm	554.311.034	554.321.034
500mm	554.311.035	554.321.035
550mm	554.311.036	554.321.036

## Product information

### Components view



### G SS1900-20-C

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.905.381	554.905.382
800mm	554.905.381	554.905.382
900mm	554.905.391	554.905.392
1000mm	554.905.301	554.905.302
1200mm	554.905.321	554.905.322

A

### SS1801-S

Drawer slide L/R



A ► Page - B.104

B

### SS1900-B167

Side wall L/R



C

### SS1900-L167

Back panel connector L/R



B, C ► Page - B.54

D

### SS1900-F167L

Inner drawer front connector (low glass) L/R



D ► Page - B.55

F

### SS1900-04

Inner drawer front panel



G1

### SS1900-20-CS/ SS1900-20-CT

Inner drawer extended front low glass



F, G1 ► Page - B.57

K

### SS1800-37


Front panel bracket to bottom panel




K ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm

## Drawer slide installation dimensions




## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required



## Slim Drawer System SB1900 - C04

Inner box with with extended front tall glass, height 167mm



### SOFT-CLOSING


- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-C04

Length	Cover	
	White	Grey Steel
270mm	554.311.040	554.321.040
300mm	554.311.041	554.321.041
350mm	554.311.042	554.321.042
400mm	554.311.043	554.321.043
450mm	554.311.044	554.321.044
500mm	554.311.045	554.321.045
550mm	554.311.046	554.321.046

## Product information

### Components view



### H SS1900-21-C

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.913.381	554.913.382
800mm	554.913.381	554.913.382
900mm	554.913.391	554.913.392
1000mm	554.913.301	554.913.302
1200mm	554.913.321	554.913.322

### A SS1801-S

Drawer slide L/R

A ► Page - B.104

### B SS1900-B167

Side wall L/R

### C SS1900-L167

Back panel connector L/R

B, C ► Page - B.54

### D SS1900-F167G

Inner drawer front connector (tall glass) L/R

D ► Page - B.55

### F SS1900-04

Inner drawer front panel

### H1 SS1900-21-CS/ SS1900-21-CT

Inner drawer extended front glass

F, H1 ► Page - B.57

### K SS1800-37


Front panel bracket to bottom panel

K ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY-cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



Inner box with side square railings and front panel, height 167mm



## SOFT-CLOSING

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1900-C05


Length	Cover	
	White	Grey Steel
270mm	554.311.050	554.321.050
300mm	554.311.051	554.321.051
350mm	554.311.052	554.321.052
400mm	554.311.053	554.321.053
450mm	554.311.054	554.321.054
500mm	554.311.055	554.321.055
550mm	554.311.056	554.321.056

## SB1900-C05H

Length	Cover	
	White	Grey Steel
270mm	554.311.150	554.321.150
300mm	554.311.151	554.321.151
350mm	554.311.152	554.321.152
400mm	554.311.153	554.321.153
450mm	554.311.154	554.321.154
500mm	554.311.155	554.321.155
550mm	554.311.156	554.321.156


## Product information

## Components view




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar

Handle

Square rail





DIY cut: LW - 98mm

DIY cut: LW - 85mm

**B**

## Drawer slide installation dimensions



The cabinet front

NL Nominal length


## Cutting dimensions for back panel



Back panel




Bottom plate  
Wood backplane  
NL=24mm



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





## Slim Drawer System SB1900 - C06

Inner box with side square railings and extended front low glass, height 167mm



### SOFT-CLOSING


- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5\text{mm}$ , left & right  $\pm 1.5\text{mm}$ .
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-C06

Length	Cover	
	White	Grey Steel
270mm	554.311.060	554.321.060
300mm	554.311.061	554.321.061
350mm	554.311.062	554.321.062
400mm	554.311.063	554.321.063
450mm	554.311.064	554.321.064
500mm	554.311.065	554.321.065
550mm	554.311.066	554.321.066

## Product information

### Components view



### G SS1900-20-C

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.905.381	554.905.382
800mm	554.905.381	554.905.382
900mm	554.905.391	554.905.392
1000mm	554.905.301	554.905.302
1200mm	554.905.321	554.905.322

### A SS1801-S

Drawer slide L/R

A ► Page - B.104

### B SS1900-B86

Side wall L/R

B ► Page - B.54

### C SS1900-L167K

Back panel connector L/R

### D SS1900-F167LK

Inner drawer front connector (low glass) L/R

C, D ► Page - B.55

### F SS1900-04

Inner drawer front panel

### G1 SS1900-20-CS/ SS1900-20-CT

Inner drawer extended front low glass

F, G1 ► Page - B.57

### M SS1801-12

Side rectangular railings

### K SS1800-37

Front panel bracket to bottom panel

M, K ► Page - B.107



## Mounting

### Internal front panel DIY cut

### Cabinet space requirements

### Back panel installation dimensions




Planar



DIY cut LW = 98mm


### Drawer slide installation dimensions

### Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





## Slim Drawer System SB1900 - C07

Inner box with side square railings and extended front tall glass, height 167mm



### SOFT-CLOSING


- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5\text{mm}$ , left & right  $\pm 1.5\text{mm}$ .
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-C07

Length	Cover	
	White	Grey Steel
270mm	554.311.070	554.321.070
300mm	554.311.071	554.321.071
350mm	554.311.072	554.321.072
400mm	554.311.073	554.321.073
450mm	554.311.074	554.321.074
500mm	554.311.075	554.321.075
550mm	554.311.076	554.321.076

## Product information

### Components view



### H SS1900-21-C

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.913.381	554.913.382
800mm	554.913.381	554.913.382
900mm	554.913.391	554.913.392
1000mm	554.913.301	554.913.302
1200mm	554.913.321	554.913.322

### A

### SS1801-S

Drawer slide L/R



A ► Page - B.104

### B

### SS1900-B86

Side wall L/R



B ► Page - B.54

### C

### SS1900-L167K

Back panel connector L/R



### D

### SS1900-F167GK

Inner drawer front connector (tall glass) L/R



C, D ► Page - B.55

### F

### SS1900-04

Inner drawer front panel



### H1

### SS1900-21-CS/ SS1900-21-CT

Inner drawer extended front tall glass



F, H1 ► Page - B.57

### M

### SS1801-12

Side rectangular railings



### K

### SS1800-37

Front panel bracket to bottom panel




M, K ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY-cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



Inner box with front panel and square railing, height 167mm



## SOFT-CLOSING

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

SB1900-C08


Length	Cover	
	White	Grey Steel
270mm	554.311.080	554.321.080
300mm	554.311.081	554.321.081
350mm	554.311.082	554.321.082
400mm	554.311.083	554.321.083
450mm	554.311.084	554.321.084
500mm	554.311.085	554.321.085
550mm	554.311.086	554.321.086

SB1900-C08H

Length	Cover	
	White	Grey Steel
270mm	554.311.180	554.321.180
300mm	554.311.181	554.321.181
350mm	554.311.182	554.321.182
400mm	554.311.183	554.321.183
450mm	554.311.184	554.321.184
500mm	554.311.185	554.321.185
550mm	554.311.186	554.321.186

## Product information

Components view



K

SS1800-37

Front panel bracket to bottom panel

K ▶ Page - B.107

A

SS1801-S

Drawer slide L/R

A ▶ Page - B.104

B

SS1900-B167

Side wall L/R

C

SS1900-L167

Back panel connector L/R

B, C ▶ Page - B.54

D

SS1900-F167

Inner drawer front connector (square railing) L/R

D ▶ Page - B.55

SS1900-F167H

Inner drawer front connector (handle) L/R

D ▶ Page - B.56

F

SS1800-04

Inner drawer front panel

SS1800-04H

Inner drawer front panel (handle)

F ▶ Page - B.106

L


SS1800-05

Front rectangular railing


L ▶ Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar

Handle

Square rail





DIY cut: LW - 98mm


DIY cut: LW - 85mm

**B**


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required





Slim box, height 199mm



## SOFT-CLOSING


- Basic, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1900-D01

Length	Cover	
	White	Grey Steel
270mm	554.411.010	554.421.010
300mm	554.411.011	554.421.011
350mm	554.411.012	554.421.012
400mm	554.411.013	554.421.013
450mm	554.411.014	554.421.014
500mm	554.411.015	554.421.015
550mm	554.411.018	554.421.018

## Product information

## Components view



A

SS1801-S

Drawer slide L/R



A ► Page - B.104

B

SS1900-B199

Side wall L/R



B ► Page - B.54

C

SS1900-L199

Back panel connector L/R



C ► Page - B.55

E

SS1900-TC1

Front connector



SS1900-TC2


Quick mount front connector




E ► Page - B.56

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



## Slim Drawer System SB1900 - D02

Slim box with extended side square railings, height 199mm



### SOFT-CLOSING


- Basic + rectangular side railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-D02

Length	Cover	
	White	Grey Steel
270mm	554.411.020	554.421.020
300mm	554.411.021	554.421.021
350mm	554.411.022	554.421.022
400mm	554.411.023	554.421.023
450mm	554.411.024	554.421.024
500mm	554.411.025	554.421.025
550mm	554.411.026	554.421.026

## Product information

### Components view



<b>A</b>	<b>SS1801-S</b> Drawer slide L/R		A ► Page - B.104
<b>B</b>	<b>SS1900-B86</b> Side wall L/R		B ► Page - B.54
<b>C</b>	<b>SS1900-L199K</b> Back panel connector L/R		C ► Page - B.55
<b>E</b>	<b>SS1900-TA1</b> Front connector		E ► Page - B.56
	<b>SS1900-TA2</b> Quick mount front connector		
<b>M</b>	<b>SS1801-12</b> Side rectangular railings		M ► Page - B.107




# Mounting


Cabinet space requirements




Front connector panel installation dimensions





Front panel drilling dimensions




Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions for back panel



Space required



## Slim Drawer System SB1900 - D03

Inner box with extended front low glass, height 199mm



### SOFT-CLOSING


- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-D03

Length	Cover	
	White	Grey Steel
270mm	554.411.030	554.421.030
300mm	554.411.031	554.421.031
350mm	554.411.032	554.421.032
400mm	554.411.033	554.421.033
450mm	554.411.034	554.421.034
500mm	554.411.035	554.421.035
550mm	554.411.036	554.421.036

## Product information

### Components view



### G SS1900-20-D

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.905.461	554.905.462
800mm	554.905.481	554.905.482
900mm	554.905.491	554.905.492
1000mm	554.905.401	554.905.402
1200mm	554.905.421	554.905.422

### A SS1801-S

Drawer slide L/R

A ► Page - B.104

### B SS1900-B199

Side wall L/R

B ► Page - B.54

### C SS1900-L199

Back panel connector L/R

C ► Page - B.55

### D SS1900-F199L

Inner drawer front connector (low glass) L/R

D ► Page - B.56

### F SS1900-04

Inner drawer front panel

### G1 SS1900-20-DS/ SS1900-20-DT

Inner drawer extended front low glass

F, G1 ► Page - B.57


### K SS1800-37

Front panel bracket to bottom panel


K ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required





## Slim Drawer System SB1900 - D04

Inner box with extended front tall glass, height 199mm



### SOFT-CLOSING


- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-D04

Length	Cover	
	White	Grey Steel
270mm	554.411.040	554.421.040
300mm	554.411.041	554.421.041
350mm	554.411.042	554.421.042
400mm	554.411.043	554.421.043
450mm	554.411.044	554.421.044
500mm	554.411.045	554.421.045
550mm	554.411.046	554.421.046

## Product information

### Components view



### H SS1900-21-D

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.913.461	554.913.462
800mm	554.913.481	554.913.482
900mm	554.913.491	554.913.492
1000mm	554.913.401	554.913.402
1200mm	554.913.421	554.913.422

A

### SS1801-S

Drawer slide L/R



A ► Page - B.104

B

### SS1900-B199

Side wall L/R



B ► Page - B.54

C

### SS1900-L199

Back panel connector L/R



C ► Page - B.55

D

### SS1900-F199G

Inner drawer front connector (tall glass) L/R



D ► Page - B.56

F

### SS1900-04

Inner drawer front panel



H1

### SS1900-21-DS/ SS1900-21-DT

Inner drawer extended front glass



F, H1 ► Page - B.57

K

### SS1800-37

Front panel bracket to bottom panel




K ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required





Inner box with front panel and square railing, height 199mm



## SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1900-D05


Length	Cover	
	White	Grey Steel
270mm	554.411.050	554.421.050
300mm	554.411.051	554.421.051
350mm	554.411.052	554.421.052
400mm	554.411.053	554.421.053
450mm	554.411.054	554.421.054
500mm	554.411.055	554.421.055
550mm	554.411.056	554.421.056

## SB1900-D05H

Length	Cover	
	White	Grey Steel
270mm	554.411.150	554.421.150
300mm	554.411.151	554.421.151
350mm	554.411.152	554.421.152
400mm	554.411.153	554.421.153
450mm	554.411.154	554.421.154
500mm	554.411.155	554.421.155
550mm	554.411.156	554.421.156

## Product information

## Components view



- A** SS1801-S  
Drawer slide L/R  
A ► Page - B.104
- B** SS1900-B199  
Side wall L/R  
B ► Page - B.54
- C** SS1900-L199  
Back panel connector L/R  
C ► Page - B.55
- D** SS1900-F199  
Inner drawer front connector (square railing) L/R  
SS1900-F199H  
Inner drawer front connector (handle) L/R  
D ► Page - B.56
- F** SS1800-04  
Inner drawer front panel  
SS1800-04H  
Inner drawer front panel (handle)  
F ► Page - B.106
- L** SS1800-05  
Front rectangular railing  
L ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut



Planar

Handle

Square rail




## Drawer slide installation dimensions




NL Nominal length

## Cutting dimensions for back panel



## Space required



Inner box with side square railings and front panel, height 199mm



## SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

SB1900-D06


Length	Cover	
	White	Grey Steel
270mm	554.411.060	554.421.060
300mm	554.411.061	554.421.061
350mm	554.411.062	554.421.062
400mm	554.411.063	554.421.063
450mm	554.411.064	554.421.064
500mm	554.411.065	554.421.065
550mm	554.411.066	554.421.066

SB1900-D06H

Length	Cover	
	White	Grey Steel
270mm	554.411.160	554.421.160
300mm	554.411.161	554.421.161
350mm	554.411.162	554.421.162
400mm	554.411.163	554.421.163
450mm	554.411.164	554.421.164
500mm	554.411.165	554.421.165
550mm	554.411.166	554.421.166


## Product information

## Components view




## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar

Handle



Square rail



DIY cut: LW - 98mm


DIY cut: LW - 85mm

## Drawer slide installation dimensions




NL Nominal length

## Cutting dimensions for back panel



## Space required





## Slim Drawer System SB1900 - D07

Inner box with side square railings and extended front low glass, height 199mm



### SOFT-CLOSING


- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-D07

Length	Cover	
	White	Grey Steel
270mm	554.411.070	554.421.070
300mm	554.411.071	554.421.071
350mm	554.411.072	554.421.072
400mm	554.411.073	554.421.073
450mm	554.411.074	554.421.074
500mm	554.411.075	554.421.075
550mm	554.411.076	554.421.076

## Product information

### Components view



### G SS1900-20-D

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.905.481	554.905.482
800mm	554.905.481	554.905.482
900mm	554.905.491	554.905.492
1000mm	554.905.401	554.905.402
1200mm	554.905.421	554.905.422

A

### SS1801-S

Drawer slide L/R



A ► Page - B.104

B

### SS1900-B86

Side wall L/R



B ► Page - B.54

C

### SS1900-L199K

Back panel connector L/R



C ► Page - B.55

D

### SS1900-F199LK

Inner drawer front connector (low glass) L/R



D ► Page - B.56

F

### SS1900-04

Inner drawer front panel



G1

### SS1900-20-DS/ SS1900-20-DT

Inner drawer extended front low glass



F, G1 ► Page - B.57

M

### SS1801-12

Side rectangular railings



K

### SS1800-37


Front panel bracket to bottom panel




M, K ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required





## Slim Drawer System SB1900 - D08

Inner box with with side square railings and extended front tall glass, height 199mm



### SOFT-CLOSING


- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1900-D08

Length	Cover	
	White	Grey Steel
270mm	554.411.080	554.421.080
300mm	554.411.081	554.421.081
350mm	554.411.082	554.421.082
400mm	554.411.083	554.421.083
450mm	554.411.084	554.421.084
500mm	554.411.085	554.421.085
550mm	554.411.086	554.421.086

### Product information

#### Components view



#### H SS1900-21-D

Material - aluminium alloy

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 85

Length	Cover	
	White	Grey Steel
600mm	554.913.481	554.913.482
800mm	554.913.481	554.913.482
900mm	554.913.491	554.913.492
1000mm	554.913.401	554.913.402
1200mm	554.913.421	554.913.422

A

#### SS1801-S

Drawer slide L/R



A ► Page - B.104

B

#### SS1900-B86

Side wall L/R



B ► Page - B.54

C

#### SS1900-L199K

Back panel connector L/R



C ► Page - B.55

D

#### SS1900-F199GK

Inner drawer front connector (tall glass) L/R



D ► Page - B.56

F

#### SS1900-04

Inner drawer front panel



H1

#### SS1900-21-DS/ SS1900-21-DT

Inner drawer extended front glass



F, H1 ► Page - B.57

M

#### SS1801-12

Side rectangular railings



K

#### SS1800-37

Front panel bracket to bottom panel




M, K ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions




## Cutting dimensions for back panel



## Space required



## Slim Drawer System



### Components view

B - Side wall L/R

C - Back panel connector L/R

D - Inner drawer front connector L/R

### Product information

B

#### SS1900-B86

Material - cold-rolled steel  
Side wall L/R  
Color - White / Grey Steel



Height	Length	Cover	
		White	Grey Steel
86mm	270mm	554.909.010	554.909.020
	300mm	554.909.011	554.909.021
	350mm	554.909.012	554.909.022
	400mm	554.909.013	554.909.023
	450mm	554.909.014	554.909.024
	500mm	554.909.015	554.909.025
	550mm	554.909.016	554.909.026

#### SS1900-B118

Material - cold-rolled steel  
Side wall L/R  
Color - White / Grey Steel



Height	Length	Cover	
		White	Grey Steel
118mm	270mm	554.909.030	554.909.040
	300mm	554.909.031	554.909.041
	350mm	554.909.032	554.909.042
	400mm	554.909.033	554.909.043
	450mm	554.909.034	554.909.044
	500mm	554.909.035	554.909.045
	550mm	554.909.036	554.909.046

#### SS1900-B167


Material - cold-rolled steel  
Side wall L/R  
Color - White / Grey Steel



Height	Length	Cover	
		White	Grey Steel
167mm	270mm	554.909.050	554.909.060
	300mm	554.909.051	554.909.061
	350mm	554.909.052	554.909.062
	400mm	554.909.053	554.909.063
	450mm	554.909.054	554.909.064
	500mm	554.909.055	554.909.065
	550mm	554.909.056	554.909.066

#### SS1900-B199

Material - cold-rolled steel  
Side wall L/R  
Color - White / Grey Steel




Height	Length	Cover	
		White	Grey Steel
199mm	270mm	554.909.070	554.909.080
	300mm	554.909.071	554.909.081
	350mm	554.909.072	554.909.082
	400mm	554.909.073	554.909.083
	450mm	554.909.074	554.909.084
	500mm	554.909.075	554.909.085
	550mm	554.909.076	554.909.086

C

#### SS1900-L86


Material - cold-rolled steel  
Color - White / Grey Steel  
Back panel connector L/R



Height	Cover	
	White	Grey Steel
86mm	554.900.011	554.900.012

#### SS1900-L118


Material - cold-rolled steel  
Color - White / Grey Steel  
Back panel connector L/R



Height	Cover	
	White	Grey Steel
118mm	554.900.021	554.900.022

#### SS1900-L167

Material - cold-rolled steel  
Color - White / Grey Steel  
Back panel connector L/R




Height	Cover	
	White	Grey Steel
167mm	554.900.031	554.900.032



**SS1900-L167K**

Material - cold-rolled steel



Back panel connector (square railings) L/R


Height	Cover	
	White	Grey Steel
167mm	554.900.033	554.900.034

**SS1900-L199**

Material - cold-rolled steel

Color - White / Grey Steel

Back panel connector L/R




Height	Cover	
	White	Grey Steel
199mm	554.900.041	554.900.042

**SS1900-L199K**

Material - cold-rolled steel

Color - White / Grey Steel

Back panel connector (square railings) L/R




Height	Cover	
	White	Grey Steel
199mm	554.900.043	554.900.044

**D**
**SS1900-F86**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector L/R




Height	Cover	
	White	Grey Steel
86mm	554.906.111	554.906.112

**SS1900-F86G**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector (GLASS) L/R




Height	Cover	
	White	Grey Steel
86mm	554.906.113	554.906.114

**SS1900-F86H**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector (handle) L/R




Height	Cover	
	White	Grey Steel
86mm	554.906.115	554.906.116

**SS1900-F118**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector L/R




Height	Cover	
	White	Grey Steel
118mm	554.906.211	554.906.212

**SS1900-F118G**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector (GLASS) L/R




Height	Cover	
	White	Grey Steel
118mm	554.906.213	554.906.214

**SS1900-F118H**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector (handle) L/R




Height	Cover	
	White	Grey Steel
118mm	554.906.215	554.906.216

**SS1900-F167L**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector (low glass) L/R




Height	Cover	
	White	Grey Steel
167mm	554.906.317	554.906.318

**SS1900-F167G**

Material - cold-rolled steel + plastic

Color - White / Grey Steel

Inner drawer front connector (tall glass) L/R




Height	Cover	
	White	Grey Steel
167mm	554.906.313	554.906.314

**SS1900-F167**

Material - cold-rolled steel + plastic


Color - White / Grey Steel

Inner drawer front connector (square railing) L/R



Height	Cover	
	White	Grey Steel
167mm	554.906.311	554.906.312





## Components view

- D - Inner drawer front connector L/R
- E - Front connector
- F - Inner drawer front panel
- G1 - Inner drawer extended front glass
- H1 - Inner drawer extended front glass

## Product information

### D SS1900-F167H

Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R

Height	Cover	
	White	Grey Steel
167mm	554.906.315	554.906.316

### SS1900-F199L

Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (low glass) L/R

Height	Cover	
	White	Grey Steel
199mm	554.906.417	554.906.418

### SS1900-F199G

Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (tall glass) L/R

Height	Cover	
	White	Grey Steel
199mm	554.906.413	554.906.414

### SS1900-F199

Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (square railing) L/R

Height	Cover	
	White	Grey Steel
199mm	554.906.411	554.906.412

### SS1900-F199H

Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R

Height	Cover	
	White	Grey Steel
199mm	554.906.415	554.906.416

### E SS1900-TA1

Material - SECC + plastic  
Front connector

Item No. 554.901.001

### SS1900-TA2

Material - SECC + plastic  
Quick mount front connector

Item No. 554.901.011

### SS1900-TB1

Material - SECC + plastic  
Front connector

Item No. 554.901.002

### SS1900-TB2

Material - SECC + plastic  
Quick mount front connector

Item No. 554.901.012

### SS1900-TC1

Material - SECC + plastic  
Front connector

Item No. 554.901.003

### SS1900-TC2

Material - SECC + plastic  
Quick mount front connector

Item No. 554.901.013

**F SS1900-04**

Material - aluminium

Inner drawer front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 98

Length	Cover	
	White	Grey Steel
600mm	554.907.061	554.907.162
800mm	554.907.081	554.907.182
900mm	554.907.091	554.907.192
1000mm	554.907.001	554.907.102
1200mm	554.907.021	554.907.122

**G1 SS1900-20-AS/ SS1900-20-AT**

Material - glass

Inner drawer extended front glass

Color - transparent

Optional - frosted

LW	Length	Cover	
		Transparent	Frosted
464mm	379mm	554.911.011	554.911.111
564mm	479mm	554.911.012	554.911.112
664mm	579mm	554.911.013	554.911.113
764mm	679mm	554.911.014	554.911.114

**SS1900-20-BS/ SS1900-20-BT**

Material - glass

Inner drawer extended front glass

Color - transparent

Optional - frosted

LW	Length	Cover	
		Transparent	Frosted
464mm	379mm	554.911.021	554.911.121
564mm	479mm	554.911.022	554.911.122
664mm	579mm	554.911.023	554.911.123
764mm	679mm	554.911.024	554.911.124

**SS1900-20-CS/ SS1900-20-CT**

Material - glass

Inner drawer extended front low glass

Color - transparent

Optional - frosted

LW	Length	Cover	
		Transparent	Frosted
464mm	379mm	554.911.031	554.911.131
564mm	479mm	554.911.032	554.911.132
664mm	579mm	554.911.033	554.911.133
764mm	679mm	554.911.034	554.911.134

**SS1900-20-DS/ SS1900-20-DT**

Material - glass

Inner drawer extended front low glass

Color - transparent

Optional - frosted

LW	Length	Cover	
		Transparent	Frosted
464mm	379mm	554.911.041	554.911.141
564mm	479mm	554.911.042	554.911.142
664mm	579mm	554.911.043	554.911.143
764mm	679mm	554.911.044	554.911.144

**H1 SS1900-21-CS/ SS1900-21-CT**

Material - glass

Inner drawer extended front tall glass

Color - transparent

Optional - frosted

LW	Length	Cover	
		Transparent	Frosted
464mm	379mm	554.912.031	554.912.131
564mm	479mm	554.912.032	554.912.132
664mm	579mm	554.912.033	554.912.133
764mm	679mm	554.912.034	554.912.134

**SS1900-21-DS/ SS1900-21-DT**

Material - glass

Inner drawer extended front tall glass

Color - transparent

Optional - frosted

LW	Length	Cover	
		Transparent	Frosted
464mm	379mm	554.912.041	554.912.141
564mm	479mm	554.912.042	554.912.142
664mm	579mm	554.912.043	554.912.143
764mm	679mm	554.912.044	554.912.144

## Classical Drawer System SB1801 - A01

Classical box, height 84mm



### SOFT-CLOSING




- Basic, height 84mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-A01

Length	Cover	
	White	Grey Steel
270mm	556.111.010	556.121.010
300mm	556.111.011	556.121.011
350mm	556.111.012	556.121.012
400mm	556.111.013	556.121.013
450mm	556.111.014	556.121.014
500mm	556.111.015	556.121.015
550mm	556.111.016	556.121.018

### Product information

#### Components view




<b>A</b>	<b>SS1801-S</b>	
	Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b>	
	Side wall L/R	
<b>C</b>	<b>SS1800-L86</b>	
	Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b>	
	Front connector	
	<b>SS1900-TA2</b>	
	Quick mount front connector	
E ► Page - B.56		




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



Inner classical box, height 84mm



## SOFT-CLOSING

- Inner drawer, height 84mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.


## SB1801-A02

## SB1801-A02H

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
270mm	556.111.020	556.121.020	270mm	556.111.120	556.121.120
300mm	556.111.021	556.121.021	300mm	556.111.121	556.121.121
350mm	556.111.022	556.121.022	350mm	556.111.122	556.121.122
400mm	556.111.023	556.121.023	400mm	556.111.123	556.121.123
450mm	556.111.024	556.121.024	450mm	556.111.124	556.121.124
500mm	556.111.025	556.121.025	500mm	556.111.125	556.121.125
550mm	556.111.026	556.121.026	550mm	556.111.126	556.121.126

## Product information


### Components view




<b>A</b>	<b>SS1801-S</b>	Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b>	Side wall L/R	
<b>C</b>	<b>SS1800-L86</b>	Back panel connector L/R	
A, B, C ► Page - B.104			
<b>D</b>	<b>SS1801-F86</b>	Inner drawer front connector L/R	
	<b>SS1801-F86H</b>	Inner drawer front connector (handle) L/R	
D ► Page - B.105			
<b>F</b>	<b>SS1800-04</b>	Inner drawer front panel	
	<b>SS1800-04H</b>	Inner drawer front panel (handle)	
F ► Page - B.106			
<b>K</b>	<b>SS1800-37</b>	Front panel bracket to bottom panel	
K ► Page - B.107			

## Mounting

Cabinet space requirements




Back panel installation dimensions




## Internal front panel DIY cut

Planar





Handle





DIY cut: LW - 98mm

## Drawer slide installation dimensions




## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





## Classical Drawer System SB1801 - B01

Classical box with side square railings, height 135mm



### SOFT-CLOSING


- Basic + rectangular side railings, height 135mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-B01

Length	Cover	
	White	Grey Steel
270mm	556.211.010	556.221.010
300mm	556.211.011	556.221.011
350mm	556.211.012	556.221.012
400mm	556.211.013	556.221.013
450mm	556.211.014	556.221.014
500mm	556.211.015	556.221.015
550mm	556.211.018	556.221.018

### Product information


#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L135</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>M</b>	<b>SS1801-12</b> Side rectangular railings	
M ► Page - B.107		

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



## Classical Drawer System SB1801 - B02

Classical box with side round railings, height 135mm



### SOFT-CLOSING


- Basic + round side railings, height 135mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-B02

Length	Cover	
	White	Grey Steel
270mm	556.211.020	556.221.020
300mm	556.211.021	556.221.021
350mm	556.211.022	556.221.022
400mm	556.211.023	556.221.023
450mm	556.211.024	556.221.024
500mm	556.211.025	556.221.025
550mm	556.211.026	556.221.026

### Product information

#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L135</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>N</b>	<b>SS1801-19</b> Side round railings	
N ► Page - B.107		




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions for back panel



Space required



Inner classical box with side square railings and front panel, height 135mm



## SOFT-CLOSING

- Inner drawer, height 135mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.


## SB1801-B03

## SB1801-B03H

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
270mm	556.211.030	556.221.030	270mm	556.211.130	556.221.130
300mm	556.211.031	556.221.031	300mm	556.211.131	556.221.131
350mm	556.211.032	556.221.032	350mm	556.211.132	556.221.132
400mm	556.211.033	556.221.033	400mm	556.211.133	556.221.133
450mm	556.211.034	556.221.034	450mm	556.211.134	556.221.134
500mm	556.211.035	556.221.035	500mm	556.211.135	556.221.135
550mm	556.211.036	556.221.036	550mm	556.211.136	556.221.136

## Product information

### Components view




- A** SS1801-S  
Drawer slide L/R
- B** SS1801-B  
Side wall L/R
- C** SS1800-L135  
Back panel connector L/R  
A, B, C ▶ Page - B.104
- D** SS1801-F135  
Inner drawer front connector L/R  
SS1801-F135H  
Inner drawer front connector (handle) L/R  
D ▶ Page - B.105
- F** SS1800-04  
Inner drawer front panel  
SS1800-04H  
Inner drawer front panel (handle)  
F ▶ Page - B.106
- L** SS1800-05  
Front square railing
- M** SS1801-12  
Side rectangular railings  
L, M ▶ Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar



DIY cut: LW - 98mm

Handle





Square rail





DIY cut: LW - 85mm

## Drawer slide installation dimensions




## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





## Classical Drawer System SB1801 - C01

Classical box with side square railings, height 167mm



### SOFT-CLOSING


- Basic + rectangular side railings, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-C01

Length	Cover	
	White	Grey Steel
270mm	556.311.010	556.321.010
300mm	556.311.011	556.321.011
350mm	556.311.012	556.321.012
400mm	556.311.013	556.321.013
450mm	556.311.014	556.321.014
500mm	556.311.015	556.321.015
550mm	556.311.016	556.321.016

### Product information


#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L167</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>M</b>	<b>SS1801-12</b> Side rectangular railings	
M ► Page - B.107		

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



## Classical Drawer System SB1801 - C02

Classical box with side round railings, height 167mm



### SOFT-CLOSING


- Basic + round side railings, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-C02

Length	Cover	
	White	Grey Steel
270mm	556.311.020	556.321.020
300mm	556.311.021	556.321.021
350mm	556.311.022	556.321.022
400mm	556.311.023	556.321.023
450mm	556.311.024	556.321.024
500mm	556.311.025	556.321.025
550mm	556.311.026	556.321.026

### Product information

#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L167</b> Back panel connector L/R	
A, B, C - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ▶ Page - B.56		
<b>N</b>	<b>SS1801-19</b> Side round railings	
N ▶ Page - B.107		




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required



## Classical Drawer System SB1801 - C03

Classical box with extended side glass, height 167mm



### SOFT-CLOSING


- Basic + 8mm side glass plates, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-C03

Length	Cover	
	White	Grey Steel
350mm	556.311.032	556.321.032
400mm	556.311.033	556.321.033
450mm	556.311.034	556.321.034
500mm	556.311.035	556.321.035
550mm	556.311.036	556.321.036

## Product information


### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L167</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>I</b>	<b>SS1800-06T/ SS1800-06S</b> 8mm Glass plates L/R	
<b>O</b>	<b>SS1800-07</b> 8mm Glass fasteners L/R	
I, O - B.107		

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





Drawer slide installation dimensions



Cutting dimensions for back panel



Space required





Inner classical box with extended side glass and front panel with square railing, height 167mm



## SOFT-CLOSING

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.


## SB1801-C05

## SB1801-C05H

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
350mm	556.311.052	556.321.052	350mm	556.311.152	556.321.152
400mm	556.311.053	556.321.053	400mm	556.311.153	556.321.153
450mm	556.311.054	556.321.054	450mm	556.311.154	556.321.154
500mm	556.311.055	556.321.055	500mm	556.311.155	556.321.155
550mm	556.311.056	556.321.056	550mm	556.311.156	556.321.156

## Product information

### Components view




- L** SS1800-05  
Front rectangular railing
- I** SS1800-06T/ SS1800-06S  
8mm Glass plates L/R
- O** SS1800-07  
8mm Glass fasteners L/R
- L, I, O ► Page - B.107


- A** SS1801-S  
Drawer slide L/R
- B** SS1801-B  
Side wall L/R
- C** SS1800-L 167  
Back panel connector L/R
- A, B, C ► Page - B.104
- D** SS1801-F167  
Inner drawer front connector L/R
- SS1801-F167H  
Inner drawer front connector (handle) L/R
- D ► Page - B.105
- F** SS1800-04  
Inner drawer front panel
- SS1800-04H  
Inner drawer front panel (handle)
- F ► Page - B.106
- K** SS1800-37  
Front panel bracket to bottom panel
- K ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar



DIY cut: LW - 98mm

Handle




Square rail





DIY cut: LW - 85mm

## Drawer slide installation dimensions





## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required






Inner classical box with extended side glass and front panel, height 167mm


**SOFT-CLOSING**

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

**SB1801-C06**
**SB1801-C06H**

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
350mm	556.311.062	556.321.062	350mm	556.311.162	556.321.162
400mm	556.311.063	556.321.063	400mm	556.311.163	556.321.163
450mm	556.311.064	556.321.064	450mm	556.311.164	556.321.164
500mm	556.311.065	556.321.065	500mm	556.311.165	556.321.165
550mm	556.311.066	556.321.066	550mm	556.311.166	556.321.166

**Product information**
**Components view**

**I SS1800-06T/ SS1800-06S**

8mm Glass plates L/R

**O SS1800-07**

8mm Glass fasteners L/R

I, O ► Page - B.107

**A SS1801-S**

Drawer slide L/R

**B SS1801-B**

Side wall L/R

**C SS1800-L167**

Back panel connector L/R

A, B, C ► Page - B.104

**D SS1801-F167G**

Inner drawer front connector L/R

**SS1801-F167GH**

Inner drawer front connector (handle) L/R

D ► Page - B.105

**F SS1800-04**

Inner drawer front panel

**SS1800-04H**

Inner drawer front panel (handle)

**G SS1800-08**

Inner drawer extended front panel

F, G ► Page - B.106

**K SS1800-37**


Front panel bracket to bottom panel

K ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar

Handle


Heighten panel





DIY cut: LW - 98mm

DIY cut: LW - 85mm

## Drawer slide installation dimensions





## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required



Inner classical box with side square railings and front panel, height 167mm



#### SOFT-CLOSING

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

#### SB1801-C07


Length	Cover	
	White	Grey Steel
270mm	556.311.070	556.321.070
300mm	556.311.071	556.321.071
350mm	556.311.072	556.321.072
400mm	556.311.073	556.321.073
450mm	556.311.074	556.321.074
500mm	556.311.075	556.321.075
550mm	556.311.076	556.321.076

#### SB1801-C07H

Length	Cover	
	White	Grey Steel
270mm	556.311.170	556.321.170
300mm	556.311.171	556.321.171
350mm	556.311.172	556.321.172
400mm	556.311.173	556.321.173
450mm	556.311.174	556.321.174
500mm	556.311.175	556.321.175
550mm	556.311.176	556.321.176

### Product information

#### Components view


**K**
**SS1800-37**

Front panel bracket to bottom panel

K ► Page - B.107

**A**
**SS1801-S**

Drawer slide L/R

**B**
**SS1801-B**

Side wall L/R

**C**
**SS1800-L 167**

Back panel connector L/R

A, B, C ► Page - B.104

**D**
**SS1801-F167**

Inner drawer front connector L/R

**SS1801-F167H**

Inner drawer front connector (handle) L/R

D ► Page - B.105

**F**
**SS1800-04**

Inner drawer front panel

**SS1800-04H**

Inner drawer front panel (handle)

F ► Page - B.106

**L**
**SS1800-05**

Front rectangular railing


**M**
**SS1801-12**

Side rectangular railings


L, M ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar

Handle

Square rail





DIY cut: LW - 98mm



DIY cut: LW - 85mm

**B**

## Drawer slide installation dimensions




## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





Inner classical box with side square railings and front panel, height 167mm



SOFT-CLOSING

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.


SB1801-C08

SB1801-C08H

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
270mm	556.311.080	556.321.080	270mm	556.311.180	556.321.180
300mm	556.311.081	556.321.081	300mm	556.311.181	556.321.181
350mm	556.311.082	556.321.082	350mm	556.311.182	556.321.182
400mm	556.311.083	556.321.083	400mm	556.311.183	556.321.183
450mm	556.311.084	556.321.084	450mm	556.311.184	556.321.184
500mm	556.311.085	556.321.085	500mm	556.311.185	556.321.185
550mm	556.311.086	556.321.086	550mm	556.311.186	556.321.186

Product information


Components view




- A** SS1801-S  
Drawer slide L/R
- B** SS1801-B  
Side wall L/R
- C** SS1800-L 167  
Back panel connector L/R  
A, B, C ▶ Page - B.104
- D** SS1801-F167G  
Inner drawer front connector L/R  
SS1801-F167GH  
Inner drawer front connector (handle) L/R  
D ▶ Page - B.105
- F** SS1800-04  
Inner drawer front panel  
SS1800-04H  
Inner drawer front panel (handle)
- G** SS1800-08  
Inner drawer extended front panel  
F, G ▶ Page - B.106
- M** SS1800-07  
Side rectangular railings  
M ▶ Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar

Handle

Heighten panel





DIY cut: LW - 98mm



DIY cut: LW - 85mm

**B**

## Drawer slide installation dimensions




## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required



## Classical Drawer System SB1801 - D01

Classical box with side square railings, height 199mm



### SOFT-CLOSING


- Basic + rectangular side railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-D01

Length	Cover	
	White	Grey Steel
270mm	556.411.010	556.421.010
300mm	556.411.011	556.421.011
350mm	556.411.012	556.421.012
400mm	556.411.013	556.421.013
450mm	556.411.014	556.421.014
500mm	556.411.015	556.421.015
550mm	556.411.016	556.421.016

### Product information

#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L199</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>M</b>	<b>SS1801-12</b> Side rectangular railings	
M ► Page - B.107		




## Mounting


Cabinet space requirements




Front connector panel installation dimensions





Front panel drilling dimensions





Back panel installation dimensions



Drawer slide installation dimensions




Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

Space required



## Classical Drawer System SB1801 - D02

Classical box with side round railings, height 199mm



### SOFT-CLOSING


- Basic + round side railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-D02

Length	Cover	
	White	Grey Steel
270mm	556.411.020	556.421.020
300mm	556.411.021	556.421.021
350mm	556.411.022	556.421.022
400mm	556.411.023	556.421.023
450mm	556.411.024	556.421.024
500mm	556.411.025	556.421.025
550mm	556.411.026	556.421.026

### Product information


#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L199</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>N</b>	<b>SS1801-19</b> Side round railings	
N ► Page - B.107		

# Mounting


Cabinet space requirements



Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions for back panel



Space required





## Classical Drawer System SB1801 - D03

Classical box with side two square railings, height 199mm



### SOFT-CLOSING


- Basic + double dual rectangular railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-D03

Length	Cover	
	White	Grey Steel
270mm	556.411.030	556.421.030
300mm	556.411.031	556.421.031
350mm	556.411.032	556.421.032
400mm	556.411.033	556.421.033
450mm	556.411.034	556.421.034
500mm	556.411.035	556.421.035
550mm	556.411.036	556.421.036

### Product information


#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L199</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>M</b>	<b>SS1801-12</b> Side rectangular railings x 2	
M ► Page - B.107		

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions



Drawer slide installation dimensions





The cabinet front




Soft-closing Drawer

Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

Space required



## Classical Drawer System SB1801 - D04

Classical box with side two round railings, height 199mm



### SOFT-CLOSING


- Basic + double dual round railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-D04

Length	Cover	
	White	Grey Steel
270mm	556.411.040	556.421.040
300mm	556.411.041	556.421.041
350mm	556.411.042	556.421.042
400mm	556.411.043	556.421.043
450mm	556.411.044	556.421.044
500mm	556.411.045	556.421.045
550mm	556.411.046	556.421.046

### Product information

#### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L199</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>N</b>	<b>SS1801-19</b> Side round railings x 2	
N ► Page - B.107		




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions for back panel



Space required



## Classical Drawer System SB1801 - D05

Classical box with extended side glass, height 199mm



### SOFT-CLOSING


- Basic + 8mm side glass plates, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm to 550mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated, Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-D05

Length	Cover	
	White	Grey Steel
350mm	556.411.052	556.421.052
400mm	556.411.053	556.421.053
450mm	556.411.054	556.421.054
500mm	556.411.055	556.421.055
550mm	556.411.056	556.421.056

## Product information


### Components view




<b>A</b>	<b>SS1801-S</b> Drawer slide L/R	
<b>B</b>	<b>SS1801-B</b> Side wall L/R	
<b>C</b>	<b>SS1800-L199</b> Back panel connector L/R	
A, B, C ► Page - B.104		
<b>E</b>	<b>SS1900-TA1</b> Front connector	
	<b>SS1900-TA2</b> Quick mount front connector	
E ► Page - B.56		
<b>J</b>	<b>SS1800-09T/ SS1800-09S</b> 8mm Glass plates L/R	
<b>P</b>	<b>SS1800-10</b> 8mm Glass fasteners L/R	
J, P ► Page - B.107		

## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required





Inner classical box with extended side glass and front panel with square railing, height 135mm



## SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.


## SB1801-D06

## SB1801-D06H

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
350mm	556.411.062	556.421.062	350mm	556.411.162	556.421.162
400mm	556.411.063	556.421.063	400mm	556.411.163	556.421.163
450mm	556.411.064	556.421.064	450mm	556.411.164	556.421.164
500mm	556.411.065	556.421.065	500mm	556.411.165	556.421.165
550mm	556.411.066	556.421.066	550mm	556.411.166	556.421.166

## Product information

### Components view



### L SS1800-05

Front rectangular railing

### J SS1800-09T/ SS1800-09S

8mm Glass plates L/R

### P SS1800-10

8mm Glass fasteners L/R

L, J, P ▶ Page - B.107

### A SS1801-S

Drawer slide L/R

### B SS1801-B

Side wall L/R

### C SS1800-L199

Back panel connector L/R

A, B, C ▶ Page - B.104

### D SS1801-F199

Inner drawer front connector L/R

### SS1801-F199H

Inner drawer front connector (handle) L/R

D ▶ Page - B.105

### F SS1800-04

Inner drawer front panel

### SS1800-04H

Inner drawer front panel (handle)

F ▶ Page - B.106


### K SS1800-37

Front panel bracket to bottom panel


K ▶ Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar

Handle

Square rail




DIY cut: LW - 98mm



DIY cut: LW - 85mm

**B**

## Drawer slide installation dimensions





## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required

Nominal Length(mm)



NL Nominal length



Inner classical box with extended side glass and front panel, height 199mm



## SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

SB1801-D07


Length	Cover	
	White	Grey Steel
350mm	556.411.072	556.421.072
400mm	556.411.073	556.421.073
450mm	556.411.074	556.421.074
500mm	556.411.075	556.421.075
550mm	556.411.076	556.421.076

SB1801-D07H

Length	Cover	
	White	Grey Steel
350mm	556.411.172	556.421.172
400mm	556.411.173	556.421.173
450mm	556.411.174	556.421.174
500mm	556.411.175	556.421.175
550mm	556.411.176	556.421.176

## Product information

### Components view



**J** SS1800-09T/ SS1800-09S  
8mm Glass plates L/R

**P** SS1800-10  
8mm Glass fasteners L/R

J, P ► Page - B.107

**A** SS1801-S  
Drawer slide L/R

**B** SS1801-B  
Side wall L/R

**C** SS1800-L199  
Back panel connector L/R

A, B, C ► Page - B.104

**D** SS1801-F199G  
Inner drawer front connector L/R

SS1801-F199GH  
Inner drawer front connector (handle) L/R

D ► Page - B.105

**F** SS1800-04  
Inner drawer front panel

SS1800-04H  
Inner drawer front panel (handle)

**H** SS1800-11  
Inner drawer extended front panel

F, H ► Page - B.106


**K** SS1800-37  
Front panel bracket to bottom panel

K ► Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar

Handle


Heighten panel





DIY cut: LW - 98mm

DIY cut: LW - 85mm

## Drawer slide installation dimensions





## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





### SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### SB1801-D08


Length	Cover	
	White	Grey Steel
270mm	556.411.080	556.421.080
300mm	556.411.081	556.421.081
350mm	556.411.082	556.421.082
400mm	556.411.083	556.421.083
450mm	556.411.084	556.421.084
500mm	556.411.085	556.421.085
550mm	556.411.086	556.421.086

### SB1801-D08H

Length	Cover	
	White	Grey Steel
270mm	556.411.180	556.421.180
300mm	556.411.181	556.421.181
350mm	556.411.182	556.421.182
400mm	556.411.183	556.421.183
450mm	556.411.184	556.421.184
500mm	556.411.185	556.421.185
550mm	556.411.186	556.421.186

## Product information

### Components view




- K** SS1800-37  
Front panel bracket to bottom panel  
K ► Page - B.107


- A** SS1801-S  
Drawer slide L/R
- B** SS1801-B  
Side wall L/R
- C** SS1800-L199  
Back panel connector L/R  
A, B, C ► Page - B.104
- D** SS1801-F199  
Inner drawer front connector L/R  
SS1801-F199H  
Inner drawer front connector (handle) L/R  
D ► Page - B.105
- F** SS1800-04  
Inner drawer front panel  
SS1800-04H  
Inner drawer front panel (handle)  
F ► Page - B.106
- L** SS1800-05  
Front rectangular railing
- M** SS1801-12  
Side rectangular railings  
L, M ► Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut



Planar

Handle


Square rail




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required





Inner classical box with side two square railings and front panel with square railing, height 199mm



## SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1801-D09


Length	Cover	White	Grey Steel
270mm		556.411.090	556.421.090
300mm		556.411.091	556.421.091
350mm		556.411.092	556.421.092
400mm		556.411.093	556.421.093
450mm		556.411.094	556.421.094
500mm		556.411.095	556.421.095
550mm		556.411.096	556.421.096

## SB1801-D09H

Length	Cover	White	Grey Steel
270mm		556.411.190	556.421.190
300mm		556.411.191	556.421.191
350mm		556.411.192	556.421.192
400mm		556.411.193	556.421.193
450mm		556.411.194	556.421.194
500mm		556.411.195	556.421.195
550mm		556.411.196	556.421.196

## Product information


### Components view




- A** SS1801-S  
Drawer slide L/R
- B** SS1801-B  
Side wall L/R
- C** SS1800-L199  
Back panel connector L/R  
A, B, C ▶ Page - B.104
- D** SS1801-F199  
Inner drawer front connector L/R  
SS1801-F199H  
Inner drawer front connector (handle) L/R  
D ▶ Page - B.105
- F** SS1800-04  
Inner drawer front panel  
SS1800-04H  
Inner drawer front panel (handle)  
F ▶ Page - B.106
- L** SS1800-05  
Front rectangular railing
- M** SS1801-12  
Side rectangular railings x 2  
L, M ▶ Page - B.107

## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar

Handle



Square rail



DIY cut: LW - 98mm



DIY cut: LW - 85mm

## Drawer slide installation dimensions




NL Nominal length

## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





Inner classical box with side square railings and front panel, height 199mm



## SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## SB1801-D10


Length	Cover	
	White	Grey Steel
270mm	556.411.100	556.421.100
300mm	556.411.101	556.421.101
350mm	556.411.102	556.421.102
400mm	556.411.103	556.421.103
450mm	556.411.104	556.421.104
500mm	556.411.105	556.421.105
550mm	556.411.106	556.421.106

## SB1801-D10H

Length	Cover	
	White	Grey Steel
270mm	556.411.210	556.421.210
300mm	556.411.211	556.421.211
350mm	556.411.212	556.421.212
400mm	556.411.213	556.421.213
450mm	556.411.214	556.421.214
500mm	556.411.215	556.421.215
550mm	556.411.216	556.421.216

## Product information

Components view



**K**

SS1800-37

Front panel bracket to bottom panel

K ▶ Page - B.107

**A**

SS1801-S

Drawer slide L/R

**B**

SS1801-B

Side wall L/R

**C**

SS1800-L199

Back panel connector L/R

A, B, C ▶ Page - B.104

**D**

SS1801-F199G

Inner drawer front connector L/R

SS1801-F199GH

Inner drawer front connector (handle) L/R

D ▶ Page - B.105

**F**

SS1800-04

Inner drawer front panel

SS1800-04H

Inner drawer front panel (handle)

**H**

SS1800-11

Inner drawer extended front panel

F, H ▶ Page - B.106

**M**

SS1801-12


Side rectangular railings

M ▶ Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar

Handle

Heighten panel





DIY cut: LW - 98mm



DIY cut: LW - 85mm

**B**

## Drawer slide installation dimensions




## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required

Nominal Length(mm)



Inner classical box with two side square railings and front panel, height 199mm



## SOFT-CLOSING

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm to 550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- Two colors in stocking, Grey Steel and white. Other colors on request.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.


## SB1801-D11

## SB1801-D11H

Length	Cover		Length	Cover	
	White	Grey Steel		White	Grey Steel
270mm	556.411.120	556.421.120	270mm	556.411.220	556.421.220
300mm	556.411.121	556.421.121	300mm	556.411.221	556.421.221
350mm	556.411.122	556.421.122	350mm	556.411.222	556.421.222
400mm	556.411.123	556.421.123	400mm	556.411.223	556.421.223
450mm	556.411.124	556.421.124	450mm	556.411.224	556.421.224
500mm	556.411.125	556.421.125	500mm	556.411.225	556.421.225
550mm	556.411.126	556.421.126	550mm	556.411.226	556.421.226

## Product information

Components view



**K**

SS1800-37

Front panel bracket to bottom panel

K ▶ Page - B.107

**A**

SS1801-S

Drawer slide L/R

**B**

SS1801-B

Side wall L/R

**C**

SS1800-L199

Back panel connector L/R

A, B, C ▶ Page - B.104

**D**

SS1801-F199G

Inner drawer front connector L/R

SS1801-F199GH

Inner drawer front connector (handle) L/R

D ▶ Page - B.105

**F**

SS1800-04

Inner drawer front panel

SS1800-04H

Inner drawer front panel (handle)

**H**

SS1800-11

Inner drawer extended front panel

F, H ▶ Page - B.106

**M**

SS1801-12


Side rectangular railings x 2

M ▶ Page - B.107




## Mounting

Cabinet space requirements



Back panel installation dimensions



## Internal front panel DIY cut

Planar

Handle

Heighten panel





DIY cut: LW - 98mm

DIY cut: LW - 85mm



**B**

## Drawer slide installation dimensions




NL Nominal length

## Cutting dimensions for back panel




KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required





## Classical Drawer System



### Components view

- A - Drawer side L/R
- B - Side wall L/R
- C - Back panel connector L/R
- D - Inner drawer front connector L/R

### Product information

#### A SS1801-S

Material - SECC  
Drawer slide L/R  
Loading capacity: 40kg



Weight	Length	Item No.
40kg	270mm	556.903.010
	300mm	556.903.011
	350mm	556.903.012
	400mm	556.903.013
	450mm	556.903.014
	500mm	556.903.015
	550mm	556.903.016

#### B SS1801-B


Material - cold-rolled steel  
Side wall  
Color - White / Grey Steel



Length	Cover	
	White	Grey Steel
270mm	556.909.010	556.909.020
300mm	556.909.011	556.909.021
350mm	556.909.012	556.909.022
400mm	556.909.013	556.909.023
450mm	556.909.014	556.909.024
500mm	556.909.015	556.909.025
550mm	556.909.016	556.909.026

#### C SS1800-L86

Material - cold-rolled steel  
Color - White / Grey Steel  
Back panel connector L/R



Height	Cover	
	White	Grey Steel
86mm	552.900.011	552.900.012

#### SS1800-L135


Material - cold-rolled steel  
Color - White / Grey Steel  
Back panel connector L/R



Height	Cover	
	White	Grey Steel
135mm	552.900.021	552.900.022

#### SS1800-L167

Material - cold-rolled steel  
Color - White / Grey Steel  
Back panel connector L/R



Height	Cover	
	White	Grey Steel
167mm	552.900.031	552.900.032

#### SS1800-L199

Material - cold-rolled steel  
Color - White / Grey Steel  
Back panel connector L/R



Height	Cover	
	White	Grey Steel
199mm	552.900.041	552.900.042

**D SS1800-F86**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector L/R



Height	Cover	
	White	Grey Steel
86mm	552.906.111	552.906.112

**SS1800-F86H**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R



Height	Cover	
	White	Grey Steel
86mm	552.906.113	552.906.114

**SS1801-F135**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector L/R



Height	Cover	
	White	Grey Steel
135mm	556.906.211	556.906.212

**SS1801-F135H**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R



Height	Cover	
	White	Grey Steel
135mm	556.906.213	556.906.214

**SS1801-F167G**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (extended panel) L/R



Height	Cover	
	White	Grey Steel
167mm	556.906.313	556.906.314

**SS1801-F167GH**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R



Height	Cover	
	White	Grey Steel
167mm	556.906.315	556.906.316

**SS1801-F167**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (square railing) L/R



Height	Cover	
	White	Grey Steel
167mm	556.906.311	556.906.312

**SS1801-F167H**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R



Height	Cover	
	White	Grey Steel
167mm	556.906.037	556.906.038

**SS1801-F199G**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (extended panel) L/R



Height	Cover	
	White	Grey Steel
199mm	556.906.413	556.906.414

**SS1801-F199GH**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R



Height	Cover	
	White	Grey Steel
199mm	556.906.415	556.906.416

**SS1801-F199**


Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (square railing) L/R



Height	Cover	
	White	Grey Steel
199mm	552.906.411	552.906.412


**SS1801-F199H**

Material - cold-rolled steel + plastic  
Color - White / Grey Steel  
Inner drawer front connector (handle) L/R



Height	Cover	
	White	Grey Steel
199mm	552.906.417	552.906.418





## Components view

- F - Inner drawer front panel
- G - Inner drawer extended front panel
- H - Inner drawer extended front panel
- L - Front rectangular railing
- M - Side rectangular railings
- N - Side round railings
- I - 8mm Glass plates
- J - 8mm Glass plates
- O - 8mm Glass fasteners L/R
- P - 8mm Glass fasteners L/R
- K - Front panel bracket to bottom panel

## Product information

**F**

**SS1800-04**

Material - aluminium

Inner drawer front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 98

Length	Cover	
	White	Grey Steel
600mm	552.907.061	552.907.062
800mm	552.907.081	552.907.082
900mm	552.907.091	552.907.092
1000mm	552.907.101	552.907.102
1200mm	552.907.121	552.907.122

**SS1800-04H**

Material - aluminium

Inner drawer front panel (handle)

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 98

Length	Cover	
	White	Grey Steel
600mm	552.907.063	552.907.064
800mm	552.907.083	552.907.084
900mm	552.907.093	552.907.094
1000mm	552.907.103	552.907.104
1200mm	552.907.123	552.907.124

**G**

**SS1800-08**

Material - aluminium

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 98

Length	Cover	
	White	Grey Steel
600mm	552.905.361	552.905.362
800mm	552.905.381	552.905.382
900mm	552.905.391	552.905.392
1000mm	552.905.301	552.905.302
1200mm	552.905.321	552.905.322

**H**

**SS1800-11**

Material - aluminium

Inner drawer extended front panel

Color - White / Grey Steel

Automatically cut - the cabinet body width LW - 98

Length	Cover	
	White	Grey Steel
600mm	552.905.461	552.905.462
800mm	552.905.481	552.905.482
900mm	552.905.491	552.905.492
1000mm	552.905.401	552.905.402
1200mm	552.905.421	552.905.422



**L SS1800-05**

Material - aluminium  
Front rectangular railing  
Color - White / Grey Steel  
Automatically cut - the cabinet body width LW - 92



Length	Cover	
	White	Grey Steel
600mm	552.904.061	552.904.161
800mm	552.904.081	552.904.181
900mm	552.904.091	552.904.191
1000mm	552.904.001	552.904.101
1200mm	552.904.021	552.904.121

**I SS1800-06T/S**

Material - glass  
8mm Glass plates  
Color - transparent  
Optional - frosted



Length	Cover	
	Transparent	Frosted
350mm	552.908.032	552.908.132
400mm	552.908.033	552.908.133
450mm	552.908.034	552.908.134
500mm	552.908.035	552.908.135
550mm	552.908.036	552.908.136

**M SS1801-12**

Material - aluminium + plastic  
Side rectangular railings  
Color - White / Grey Steel



Length	Cover	
	White	Grey Steel
270mm	556.910.010	556.910.020
300mm	556.910.011	556.910.021
350mm	556.910.012	556.910.022
400mm	556.910.013	556.910.023
450mm	556.910.014	556.910.024
500mm	556.910.015	556.910.025
550mm	556.910.016	556.910.026

**J SS1800-09T/S**

Material - glass  
8mm Glass plates  
Color - transparent  
Optional - frosted



Length	Cover	
	Transparent	Frosted
350mm	552.908.042	552.908.142
400mm	552.908.043	552.908.143
450mm	552.908.044	552.908.144
500mm	552.908.045	552.908.145
550mm	552.908.046	552.908.146

**N SS1801-19**


Material - aluminium + plastic  
Side round railings  
Color - White / Grey Steel



Length	Cover	
	White	Grey Steel
270mm	556.910.030	556.910.040
300mm	556.910.031	556.910.041
350mm	556.910.032	556.910.042
400mm	556.910.033	556.910.043
450mm	556.910.034	556.910.044
500mm	556.910.035	556.910.045
550mm	556.910.036	556.910.046

**O SS1800-07**

Material - SECC + plastic  
8mm Glass fasteners L/R  
Color - White / Grey Steel



Height	Cover	
	White	Grey Steel
167mm	552.902.081	552.902.082

**P SS1800-10**


Material - SECC + plastic  
8mm Glass fasteners L/R  
Color - White / Grey Steel



Height	Cover	
	White	Grey Steel
199mm	552.902.181	552.902.182


**K SS1800-37**

Material - plastic  
Front panel bracket to bottom panel  
Color - Grey Steel




Height	Cover	
	White	Grey Steel
199mm	552.937.001	


## Drawer installation




## Front panel adjustment.




## Drawer disassembly.




## Drawer removal



## Drawer installation



## Regulation



## Panel removing



## The drawer is installed



## Drawer removal

